

L1 1 S US 20090176846/PN

FILE 'REGISTRY' ENTERED AT 09:33:06 ON 08 OCT 2010

L2 1 S 887396-01-2/RN
 SET NOTICE 1 DISPLAY
 SET NOTICE LOGIN DISPLAY

FILE 'REGISTRY' ENTERED AT 09:33:22 ON 08 OCT 2010

L3 1 S 75-75-2/RN

L3 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2010 ACS on STN
 RN 75-75-2 REGISTRY
 CN Methanesulfonic acid (CA INDEX NAME)
 OTHER NAMES:
 CN MCAT 1201
 CN Methylsulfonic acid
 CN NSC 3718
 CN Scaleva
 DR 1129867-34-0, 125756-91-4, 98527-29-8, 115449-98-4, 62203-24-1,
 87128-90-3, 44209-64-5, 44209-72-5
 MF C H4 O3 S
 CI COM
 LC STN Files: AGRICOLA, ANABSTR, BEILSTEIN*, BIOSIS, BIOTECHNO, CA,
 CAPLUS,
 CASREACT, CHEMCATS, CHEMINFORMRX, CHEMLIST, CIN, CSCHEM,
 DETHERM*,
 EMBASE, ENCOMPLIT, ENCOMPLIT2, ENCOMPAT, ENCOMPAT2, GMELIN*,
 HSDB*,
 IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, MRCK*, MSDS-OHS, PIRA,
 PROMT, PS,
 RTECS*, SPECINFO, SYNTHLINE, TOXCENTER, ULIDAT, USPAT2,
 USPATFULL,
 USPATOLD
 (*File contains numerically searchable property data)
 Other Sources: DSL**, EINECS**, TSCA**
 (**Enter CHEMLIST File for up-to-date regulatory information)


DT.CA CAplus document type: Conference; Dissertation; Journal;
 Patent; Report

RL.P Roles from patents: ANST (Analytical study); BIOL (Biological
 study);
 FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU
 (Occurrence); PREP (Preparation); PROC (Process); PRP
 (Properties); PRPH
 (Prophetic); RACT (Reactant or reagent); USES (Uses); NORL (No
 role in
 record)

RLD.P Roles for non-specific derivatives from patents: ANST
 (Analytical
 study); BIOL (Biological study); PREP (Preparation); PROC
 (Process); PRP
 (Properties); PRPH (Prophetic); RACT (Reactant or reagent); USES
 (Uses)

RL.NP Roles from non-patents: ANST (Analytical study); BIOL
 (Biological
 study); FORM (Formation, nonpreparative); MSC (Miscellaneous);
 OCCU
 (Occurrence); PREP (Preparation); PROC (Process); PRP

(Properties); RACT
 (Reactant or reagent); USES (Uses); NORL (No role in record)
 RLD.NP Roles for non-specific derivatives from non-patents: ANST
 (Analytical
 study); BIOL (Biological study); CMBI (Combinatorial study);
 FORM
 (Formation, nonpreparative); OCCU (Occurrence); PREP
 (Preparation); PROC
 (Process); PRP (Properties); RACT (Reactant or reagent); USES
 (Uses)




SET NOTICE 1 DISPLAY
 SET NOTICE LOGIN DISPLAY

FILE 'REGISTRY' ENTERED AT 09:33:47 ON 08 OCT 2010
 L4 STRUCTURE UPLOADED

=>

Uploading C:\Program Files\STNEXP\Queries\10584984 10082010 1.str



L5 0 S L4 SSS SAM
 L6 18 S L4 SSS FULL

FILE 'CAPLUS' ENTERED AT 09:34:25 ON 08 OCT 2010
 L7 14 S L6
 L8 2 S L6 AND L3

L8 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2010 ACS on STN
 AB The present invention relates to an oral preparation of N-hydroxy-4-[5-[4-(5-isopropyl-2-methyl-1,3-thiazol-4-yl)phenoxy]pentoxy]benzamidinium (I) having improved bioavailability. More particularly, the present invention relates to an oral preparation comprising I or pharmaceutically acceptable salt thereof; and one or more carbonates selected from the group consisting of alkali metal carbonate, alkali metal bicarbonate and alkaline earth metal carbonate, and/or one or more disintegrants selected from the group consisting of sodium starch glycolate,

carmellose calcium and croscarmellose sodium. The oral preparation according to the present invention inhibits gelation of I or pharmaceutically acceptable salt thereof in the early stage of release, which increases dissoln. rate and remarkably raises bioavailability.

ACCESSION NUMBER: 2006:515838 CAPLUS Full-text
DOCUMENT NUMBER: 144:495422
TITLE: An oral preparation having improved
bioavailability
INVENTOR(S): Ryu, Jei Man; Cho, Soon Ki; Jung, Se Hyun;
Seong, Seung Kyoo; Cho, Eun Hee; Ahn, Seok Hoon; Kim,
Yun Jung
PATENT ASSIGNEE(S): Dong Wha Pharmaceutical Ind. Co., Ltd., S.
Korea
SOURCE: PCT Int. Appl., 50 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006057507	A1	20060601	WO 2005-KR3950	
20051122				
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
KR 2006057511	A	20060526	KR 2005-111543	
20051122				
KR 2006057514	A	20060526	KR 2005-111779	
20051122				
AU 2005307994	A1	20060601	AU 2005-307994	
20051122				
AU 2005307994	B2	20090723		

CA 2585003	A1	20060601	CA 2005-2585003
20051122			
CA 2585003	C	20100817	
EP 1814593	A1	20070808	EP 2005-821036
20051122			
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR			
CN 101056658	A	20071017	CN 2005-80038889
20051122			
JP 2008520655	T	20080619	JP 2007-542909
20051122			
BR 2005017396	A	20081014	BR 2005-17396
20051122			
PT 1701722	E	20091210	PT 2005-817697
20051122			
ES 2333739	T3	20100226	ES 2005-817697
20051122			
CN 101693029	A	20100414	CN 2009-10166667
20051122			
ZA 2007000485	A	20071128	ZA 2007-485
20070117			
US 20070254930	A1	20071101	US 2007-577469
20070418			
ZA 2007004236	A	20081126	ZA 2007-4236
20070524			
PRIORITY APPLN. INFO.:			KR 2004-96390 A
20041123			
			CN 2005-80038889 A3
20051122			
			WO 2005-KR3950 W
20051122			

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

IPC1 A61K0047-30 [I,A]; A61P0019-10 [I,A]; A61P0019-00 [I,C*]

IPCR A61K0047-30 [I,A]; A61K0047-30 [I,C]; A61P0019-00 [I,C]; A61P0019-10 [I,A]

CC 63-6 (Pharmaceuticals)

IT ~~491577-61-8~~

RL: PKT (Pharmacokinetics); RCT (Reactant); THU (Therapeutic use); BIOL

(Biological study); RACT (Reactant or reagent); USES (Uses)

(oral prepns. containing benzenecarboximidamide derivative and carbonates)

IT ~~873222-99-2~~ ~~887396-01-2~~

RL: PKT (Pharmacokinetics); THU (Therapeutic use); BIOL

(Biological study); USES (Uses)

(oral prepns. containing benzenecarboximidamide derivative and carbonates)

IT ~~75-75-2~~, Methanesulfonic acid

RL: RCT (Reactant); RACT (Reactant or reagent)

(oral prepns. containing benzenecarboximidamide derivative and carbonates)

IT Drug delivery systems

(capsules; oral prepns. containing benzenecarboximidamide derivative and carbonates)

IT Drug delivery systems
 (granules; oral preps. containing benzenecarboximidamide
 derivative and
 carbonates)

IT Gelation
 (inhibition in; oral preps. containing benzenecarboximidamide
 derivative and
 carbonates)

IT Antiosteoporotic agents
 Dissolution
 Drug bioavailability
 (oral preps. containing benzenecarboximidamide derivative and
 carbonates)

IT Carbonates
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (oral preps. containing benzenecarboximidamide derivative and
 carbonates)

IT Drug delivery systems
 (tablets; oral preps. containing benzenecarboximidamide
 derivative and
 carbonates)

IT Osteoporosis
 (treatment of; oral preps. containing benzenecarboximidamide
 derivative and
 carbonates)

IT ~~491577-61-8~~
 RL: PKT (Pharmacokinetics); RCT (Reactant); THU (Therapeutic use);
 BIOL
 (Biological study); RACT (Reactant or reagent); USES (Uses)
 (oral preps. containing benzenecarboximidamide derivative and
 carbonates)

IT ~~873222-99-2~~ ~~887396-01-2~~
 RL: PKT (Pharmacokinetics); THU (Therapeutic use); BIOL
 (Biological
 study); USES (Uses)
 (oral preps. containing benzenecarboximidamide derivative and
 carbonates)

IT ~~75-75-2~~, Methanesulfonic acid
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (oral preps. containing benzenecarboximidamide derivative and
 carbonates)

IT 144-55-8, Sodium bicarbonate, biological studies 298-14-6,
 Potassium
 bicarbonate 471-34-1, Calcium carbonate, biological studies
 497-19-8,
 Sodium carbonate, biological studies 584-08-7, Potassium
 carbonate
 1309-48-4, Magnesium oxide, biological studies 7758-23-8,
 Calcium
 biphosphate 9050-04-8, Carmellose calcium 9063-38-1, Sodium
 starch
 glycolate 10103-46-5, Calcium phosphate 74811-65-7,
 Croscarmellose
 sodium
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (oral preps. containing benzenecarboximidamide derivative and
 carbonates)

OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE
THIS RECORD
(1 CITINGS)
REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE
FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE
RE FORMAT

L8 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2010 ACS on STN

AB Disclosed is N-hydroxy-4-[5-[4-(5-isopropyl-2-methyl-1,3-thiazol-4-yl)phenoxy]pentoxy]benzamidinium di-methanesulfonic acid salt, which has excellent bioavailability. Also disclosed are a method of preparing the compound and a pharmaceutical composition comprising the compound

ACCESSION NUMBER: 2006:513353 CAPLUS Full-text

DOCUMENT NUMBER: 144:495412

TITLE: N-Hydroxy-4-[5-[4-(5-isopropyl-2-methyl-1,3-thiazol-4-

yl)phenoxy]pentoxy]benzamidinium di-

methanesulfonic acid

salt

INVENTOR(S): Ryu, Jei, Man; Lee, Jin, Soo; Shin, Dong,

Hyuk; Seong,

Seung, Kyoo; Cho, Soon, Ki; Jeon, Chan, Seok;

Jin,

Young, Goo; Lee, Ki, Young; Jung, Se, Hyun;

Cho, Eun,

Hee

PATENT ASSIGNEE(S): Dong Wha Pharmaceutical Ind. Co., Ltd., S. Korea

SOURCE: PCT Int. Appl., 27 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----

WO 2006057501	A1	20060601	WO 2005-KR3934	
20051122				
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ,			
CA, CH,	CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,			
GB, GD,	GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN,			
KP, KZ,	LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW,			
MX, MZ,	NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD,			
SE, SG,	SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,			
VC, VN,	YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR,			
HU, IE,				

IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR,
BF, BJ,
CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG,
BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
AZ, BY,
KG, KZ, MD, RU, TJ, TM
KR 2006057511 A 20060526 KR 2005-111543
20051122
KR 2006057514 A 20060526 KR 2005-111779
20051122
CA 2552766 A1 20060601 CA 2005-2552766
20051122
CA 2552766 C 20100817
AU 2005300239 A1 20060706 AU 2005-300239
20051122
AU 2005300239 B2 20090806
EP 1701722 A1 20060920 EP 2005-817697
20051122
EP 1701722 B1 20091014
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE,
MC, PT,
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU,
PL, SK,
BA, HR, IS, YU
CN 1905871 A 20070131 CN 2005-80001744
20051122
JP 2008508264 T 20080321 JP 2007-523495
20051122
BR 2005014386 A 20080610 BR 2005-14386
20051122
NZ 555725 A 20080731 NZ 2005-555725
20051122
RU 2361867 C2 20090720 RU 2007-123614
20051122
AT 445397 T 20091015 AT 2005-817697
20051122
PT 1701722 E 20091210 PT 2005-817697
20051122
ES 2333739 T3 20100226 ES 2005-817697
20051122
CN 101693029 A 20100414 CN 2009-10166667
20051122
ZA 2007000485 A 20071128 ZA 2007-485
20070117
HK 1094530 A1 20100625 HK 2007-101468
20070208
ZA 2007004236 A 20081126 ZA 2007-4236
20070524
IN 2007DN04653 A 20070817 IN 2007-DN4653
20070618
US 20090176846 A1 20090709 US 2008-584984
20080508
PRIORITY APPLN. INFO.: KR 2004-96390 A
20041123
CN 2005-80038889 A3
20051122

20051122

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

IPCI A61K0031-426 [I,A]

IPCR A61K0031-426 [I,A]; A61K0031-426 [I,C]

CC 63-6 (Pharmaceuticals)

Section cross-reference(s): 1

IT 887396-01-2F

RL: PAC (Pharmacological activity); PKT (Pharmacokinetics); PRP (Properties); SPN (Synthetic preparation); THU (Therapeutic use);

BIOL

(Biological study); PREP (Preparation); USES (Uses)

(preparation of stable benzenecarboximidamide derivative

methanesulfonate salt

for treating bone diseases and allergic inflammation)

IT 75-75-2, Methanesulfonic acid 491577-61-8,

N-Hydroxy-4-[5-[4-(5-isopropyl-2-methyl-1,3-thiazol-4-yl)phenoxy]pentoxy]benzamidine

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of stable benzenecarboximidamide derivative

methanesulfonate salt

for treating bone diseases and allergic inflammation)

IT Inflammation

(allergic, treatment of; preparation of stable

benzenecarboximidamide derivative

methanesulfonate salt for treating bone diseases and allergic inflammation)

IT Bone, disease

(fracture, treatment of; preparation of stable

benzenecarboximidamide derivative

methanesulfonate salt for treating bone diseases and allergic inflammation)

IT Allergy

(inflammation, treatment of; preparation of stable

benzenecarboximidamide

derivative methanesulfonate salt for treating bone diseases and allergic inflammation)

IT Drug delivery systems

(oral; preparation of stable benzenecarboximidamide derivative

methanesulfonate

salt for treating bone diseases and allergic inflammation)

IT Antiosteoporotic agents

Osteoporosis

(preparation of stable benzenecarboximidamide derivative

methanesulfonate salt

for treating bone diseases and allergic inflammation)

IT 887396-01-2F

RL: PAC (Pharmacological activity); PKT (Pharmacokinetics); PRP (Properties); SPN (Synthetic preparation); THU (Therapeutic use);

BIOL

(Biological study); PREP (Preparation); USES (Uses)

(preparation of stable benzenecarboximidamide derivative

methanesulfonate salt

for treating bone diseases and allergic inflammation)

IT 75-75-2, Methanesulfonic acid 491577-61-8,

N-Hydroxy-4-[5-[4-(5-isopropyl-2-methyl-1,3-thiazol-4-

yl)phenoxy]pentoxy]benzamidine
RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of stable benzenecarboximidamide derivative
methanesulfonate salt
 for treating bone diseases and allergic inflammation)